

Files: S700A  
S710.2  
ULC G5.2  
CCF7



June 15, 2016

## STANDARDS BULLETIN 2016-25

### Withdrawal of CAN/ULC-S710.2

#### STANDARD FOR THERMAL INSULATION - BEAD - APPLIED ONE COMPONENT POLYURETHANE AIR SEALANT FOAM, PART 2: INSTALLATION

ULC Standards is pleased to announce the withdrawal of CAN/ULC-S710.2, Standard for Thermal Insulation - Bead - Applied One Component Polyurethane Air Sealant Foam, Part 2: Installation. This withdrawal of a ULC Standard was approved by the ULC Standards Committee on Thermal Insulation Materials and Systems, and is published under the date of June 2016.

This Standard outlines requirements for the installation of factory pre-packaged bead-applied one component polyurethane foam used as an insulating air sealant for both building and non-building applications. The material is installed as air sealant foam in holes, cracks or gaps in buildings or in a prefabrication (manufacturing) process.

The requirements in this Standard apply for both the manufacturer and the installer.

The requirements in this Standard only apply to the use of bead-applied one component polyurethane foam when the continuous service temperature is in the range of -60 to +110 °C.

The requirements in this Standard include the proper selection of the air sealant foam, installation requirements, limitations for the installation, testing and recommendations for safety and for disposal of associated waste material and packaging.

CAN/ULC-S710.2 is currently not referenced in the National Building Code of Canada or other Codes and Regulations.

Should you require additional information, please contact John Wade at (613) 368-4426 or by email at address: [John.Wade@ul.com](mailto:John.Wade@ul.com).

Yours, truly

Handwritten signature of Mahendra (Mike) Prasad.

Mahendra (Mike) Prasad  
Operations Manager  
ULC Standards  
[Mahendra.Prasad@ul.com](mailto:Mahendra.Prasad@ul.com)

Handwritten signature of John Wade.

John Wade  
Project Manager  
ULC Standards  
[John.Wade@ul.com](mailto:John.Wade@ul.com)

Formatted: Font color: Text 1, English (U.S.)

Formatted: Font color: Text 1, English (U.S.)

Formatted: Font color: Text 1, English (U.S.)

Formatted: English (U.S.)